

### INCLUDES

- Ratchet cap

### UNIQUE FEATURES

- All-plastic design
- Multiple vent options
- Variety of graphics available
- Complies with California Air Resource Board (CARB) regulations and Environmental Protection Agency (EPA) regulations
- Compatible with Kelch Universal Tether

### REASONS TO CHOOSE

- Ergonomic styling
- Common thread size
- Well suited for lawn & garden and recreational vehicle applications, marine
- Offers audible and tactile feedback with a permanent tether
- Ratchet torque limits potential to overtighten cap



Revised 7/25

Disclaimer: At Kelch, we make quality products. We do not know how you will use our product. You, the customer, are in the best position to know the uses and conditions to which our products will be subjected and to know how our product will perform in your application.

You are responsible for identifying and performing tests necessary to assure that our product is safe and suitable for the application you have chosen. We ask that you hold us harmless from any claims that result from our product being used in an unsafe or unsuitable way.



FOR MORE INFORMATION, CALL OR EMAIL US!  
877.944.5699 • [Products@Kelch.com](mailto:Products@Kelch.com) • [Kelch.com](http://Kelch.com)

©2025 0B7472012



### COMPOSITION

- Engineered thermoplastics
- All-plastic cap designed for use in corrosive environments

### VENTING OPTIONS


- No vent
- Internal vent (0.062 dia. hole)
- Check Valve with inlet and outlet pressures
- One-way (in-let vent)

### THREAD SIZE

- 2 1/4" modified buttress thread with 5 threads per inch
- Modified buttress thread allows for expansion and contraction of filler neck

### FILLER NECK SPECIFICATIONS

- Injection molding/blow molding  
- Kelch Print 1407
- Rotational molding  
- Kelch Print 6319



Revised 7/25

Disclaimer: At Kelch, we make quality products. We do not know how you will use our product. You, the customer, are in the best position to know the uses and conditions to which our products will be subjected and to know how our product will perform in your application.

You are responsible for identifying and performing tests necessary to assure that our product is safe and suitable for the application you have chosen. We ask that you hold us harmless from any claims that result from our product being used in an unsafe or unsuitable way.

### MOLDED-IN GRAPHICS

- Standard mold-in graphics
- Custom molded-in graphics



### TETHER OPTIONS

- Standard length is 8" (other lengths available upon request)
- Internal and external

### CATCH OPTIONS


- 2 1/4" catch is standard
- 1 3/4" catch is available for applications with smaller filler neck IDs

### PAD PRINTING OPTIONS FOR CAPS


- Standard and custom pad printing available



5211



5403



5208

### GASKET OPTIONS

- Nitrile
- FKM

### MATERIAL OPTIONS

- Nylon 6
- Flame Retardant



FOR MORE INFORMATION, CALL OR EMAIL US!  
877.944.5699 • [Products@Kelch.com](mailto:Products@Kelch.com) • [Kelch.com](http://Kelch.com)

©2025 0B7472012