



INCLUDES

· Ratchet cap

UNIQUE FEATURES

- · All-plastic design
- · Multiple vent options
- Variety of graphics available
- Complies with California Air Resource Board (CARB) regulations and Environmental Protection Agency (EPA) regulations
- Compatible with Kelch Universal Tether

REASONS TO CHOOSE

- Ergonomic styling
- · Common thread size
- Well suited for lawn & garden and recreational vehicle applications, marine
- Offers audible and tactile feedback with a permanent tether
- Ratchet torque limits potential to over tighten cap









COMPOSITION

- Engineered thermoplastics
- All-plastic cap designed for use in corrosive environments

VENTING OPTIONS

- · No vent
- Internal vent (0.062 dia. hole)
- Check Valve with inlet and outlet pressures
- · One-way (in-let vent)


THREAD SIZE

- 2 ¼" modified buttress thread with 5 threads per inch
- Modified buttress thread allows for expansion and contraction of <u>filler neck</u>

FILLER NECK SPECIFICATION

INJECTION MOLDING / BLOW MOLDING Kelch print 1407

ROTATIONAL MOLDING Kelch print 6319



Revised 04/15

Disclaimer: At Kelch, we make quality products. We do not know how you will use our product. You, the customer, are in the best position to know the uses and conditions to which our products will be subjected.

You are responsible for identifying and performing tests necessary to assure that our product is safe and suitable for the application you have chosen. You are in the best position to know how our product will perform in your application, we ask that you hold us harmless from any claims that result from our product being used in an unsafe or unsuitable way.

MOLDED-IN GRAPHICS

- Standard mold-in graphics
- · Custom molded-in graphics



TETHER OPTION

- · Standard length is 8" (other lengths available upon request)
- · Internal and external

CATCH OPTIONS

- · 2 1/4" catch is standard
- 1 3/4" catch is available for applications with smaller filler neck IDs

PAD PRINTING OPTIONS FOR CAPS

· Standard and custom pad printing available







54

GASKET OPTIONS

- Nitrile
- FKM

MATERIAL OPTIONS

- Nylon 6
- Flame Retardant